



SOD-323-A PACKAGE OUTLINE DIMENSIONS




Symbol	Dimensions In Millimeters		Dimensions In Inches	
	Min.	Max.	Min.	Max.
A		1.000		0.039
A1	0.000	0.100	0.000	0.004
A2	0.800	0.900	0.031	0.035
b	0.250	0.350	0.010	0.014
c	0.080	0.150	0.003	0.006
D	1.200	1.400	0.047	0.055
E	1.600	1.800	0.063	0.071
E1	2.500	2.700	0.098	0.106
L	0.475 REF.		0.019 REF.	
L1	0.250	0.400	0.010	0.016
θ	0°	8°	0°	8°




中心距：2.15
脚宽：0.30
焊盘宽：0.70
脚长：0.43
焊盘长：0.70


- 技术要求
- 1. 塑封体尺寸1.70×1.30；
 - 2. 未注公差为：±0.05；
 - 3. 所有单位为：mm。

媒体编号					镀 涂							
旧底图总号					SOD-323 焊 盘							
底图总号					更改标记	数量	更改单号	签 名	日 期	等级标记	版 号	比 例
设 计												20:1
审 核												
工 艺												
日期					签 名					第 1 张 共 1 张		
批 准										江苏长电科技股份有限公司		





The bottom gasket



3000×15 PCS



Label on the Reel

3000×1 PCS




The top gasket



Seal the box with the tape

Label on the Inner Box

Inner Box: 203 mm× 203mm× 195mm



Stamp "EMPTY" on the empty box

Seal the box with the tape

QA Label



Label on the Outer Box

Outer Box: 438 mm× 438mm× 220mm