





SOT-23-6L PACKAGE OUTLINE DIMENSIONS



Symbol	Dimensions In Millimeters		Dimensions In Inches	
	Min	Max	Min	Max
A	1.050	1.250	0.041	0.049
A1	0.000	0.100	0.000	0.004
A2	1.050	1.150	0.041	0.045
b	0.300	0.500	0.012	0.020
c	0.100	0.200	0.004	0.008
D	2.820	3.020	0.111	0.119
E	1.500	1.700	0.059	0.067
E1	2.650	2.950	0.104	0.116
e	0.950(BSC)		0.037(BSC)	
e1	1.800	2.000	0.071	0.079
L	0.300	0.600	0.012	0.024
θ	0°	8°	0°	8°



Disc No.

Old Drawing No.

Drawing No.

Date Sign.

Format (1)

					Finish	Refer To Technology Specification				
					SOT-23-6L					
Mark	QTY.	CN No.	Sign.	Date						
Design										
Check							Step		Rev.	Scale
Process									A	40:1
Stand.							1 OF 1			
Approve							JCET Co. , Ltd			

SOT23-6L 包装（SOT23-6L PACKING）

编带包装（Tape&Reel Packing）:

1. 包装流程图(Packing procedure):



2 包装规格（Packing spec）:

封装 PKG	载带/盖带 tape	卷盘 Reel	包装箱 Box	只/盘 pcs/reel	盘/盒 reel/box	只/盒 pcs/box	盒/箱 box/carton	只/箱 pcs/carton
SOT23-6L	IC-ZD-05	7" (IC-JP-05)	SOT23 包装箱	3000	10	30000	4	120000