



SOD-923 PACKAGE OUTLINE DIMENSIONS



Symbol	Dimensions In Millimeters		Dimensions In Inches	
	Min.	Max.	Min.	Max.
A	0.350	0.430	0.014	0.017
A1	0.000	0.050	0.000	0.002
b	0.170	0.270	0.007	0.011
c		0.150		0.006
D	0.550	0.650	0.022	0.026
E	0.900	1.100	0.035	0.043
E1	0.750	0.850	0.030	0.033
θ	7° REF.		7° REF.	



- 技术要求
1. 塑封体尺寸: 0.80×0.60 ;
 2. 未注公差为: ± 0.05 ;
 3. 所有单位为: mm。

中心距: 0.90
脚宽: 0.10
焊盘宽: 0.20
脚长: 0.20
焊盘长: 0.32

媒体编号

镀 涂

旧底图总号

SOD-923
焊 盘

底图总号

更改标记	数量	更改单号	签 名	日 期
------	----	------	-----	-----

设 计				
设 计				
审 核				
工 艺				

等级标记

版 号

比 例

A

40:1

第 1 张 共 1 张

日期 签名

标 准 化				
批 准				


江苏长电科技股份有限公司

格式 (1)


制 图:

描 图:

幅 面: A4




正面



侧面

SOD-923 Tape and reel

SOD-923 Embossed Carrier Tape




Packaging Description:


SOD-923 parts are shipped in tape. The carrier tape is made from a dissipative (carbon filled) polycarbonate resin. The cover tape is a multilayer film (Heat Activated Adhesive in nature) primarily composed of polyester film, adhesive layer, sealant, and anti-static sprayed agent. These reeled parts in standard option are shipped with 8,000 units per 7" or 17.8cm diameter reel. The reels are clear in color and is made of polystyrene plastic (anti-static coated).

Dimensions are in millimeter										
Pkg type	A	B	C	d	E	F	P0	P	P1	W
SOD-923	0.66	1.12	0.23	Ø1.50	1.75	3.50	4.00	2.00	2.00	8.00
(Tolerance)	+/-0.05	+/-0.05	+/-0.05	+/-0.1	+/-0.1	+/-0.1	+/-0.1	+/-0.1	+/-0.1	+0.3/-0.1

SOD-923 Tape Leader and Trailer




SOD-923 Reel




Dimensions are in millimeter								
Reel Option	D	D1	D2	G	H	I	W1	W2
7"Dia	Ø178.00	54.40	13.00	R78.00	R25.60	R6.50	9.50	12.30
Tolerance	+/-2	+/-1	+/-1	+/-1	+/-1	+/-1	+/-1	+/-1

REEL	Reel Size	Box	Box Size(mm)	Carton	Carton Size(mm)	G.W.(kg)
8000 pcs	7 inch	120,000 pcs	203×203×195	480,000 pcs	438×438×220	



The bottom gasket



8000×15 PCS



Label on the Reel

8000×1 PCS



The top gasket




Seal the box with the tape

Label on the Inner Box

Inner Box: 203 mm× 203mm× 195mm

Stamp "EMPTY" on the empty box



Seal the box with the tape

QA Label



Label on the Outer Box

Outer Box: 438 mm× 438mm× 220mm