





SOT-343 PACKAGE OUTLINE DIMENSIONS



Symbol	Dimensions In Millimeters		Dimensions In Inches	
	Min.	Max.	Min.	Max.
A	0.900	1.100	0.035	0.043
A1	0.000	0.100	0.000	0.004
A2	0.900	1.000	0.035	0.039
b	0.150	0.350	0.006	0.014
c	0.080	0.150	0.003	0.006
D	2.000	2.200	0.079	0.087
E	1.150	1.350	0.045	0.053
E1	2.150	2.450	0.085	0.096
e	0.650 TYP.		0.026 TYP.	
e1	1.200	1.400	0.047	0.055
L	0.525 REF.		0.021 REF.	
L1	0.260	0.460	0.010	0.018
θ	0°	8°	0°	8°



中心距: 1.30

脚宽: 0.25

焊盘宽: 0.40

脚长: 0.54

焊盘长: 0.80

技术要求

1. 塑封体尺寸 2.10×1.25 ;
2. 未注公差为: ± 0.05 ;
3. 所有单位为: mm。

媒体编号

镀 涂

旧底图总号

底图总号

日期 签名

标准
批准

SOT-343
焊 盘

等级标记	版 号	比 例
------	-----	-----

A

20:1

第 1 张 共 1 张


江苏长电科技股份有限公司

格式 (1)


制图:

描图:


幅面: A4



The bottom gasket



3000×15 PCS



Label on the Reel

3000×1 PCS




The top gasket



Seal the box with the tape

Label on the Inner Box

Inner Box: 210mm×208mm×203mm



Stamp "EMPTY" on the empty box

Seal the box with the tape

QA Label

Label on the Outer Box

Outer Box: 440mm×440mm×230mm

